MEMORANDUM

DATE: 8-14-2025

TO: NPL Clients

FROM: Shelbie Reimer MT(ASCP)CM, Support Services and Outreach Supervisor

RE: Mayo Test Update Effective 8.18.2025

Mayo has 1 test code going inactive on 8.18.25 with a replacement test. Mayo also have a test code going inactive on 10.1.25 with no replacement test. See the attached spreadsheet for information.

If you have any questions or concerns please contact Shelbie Reimer, Support Services and Outreach Supervisor at 701-530-5700.

Performing Laboratory (ARUP, LBCR (LabCorp), MAYO, NPL)	Effective Date	NPL Test Code Order Code	NPL Component Result Code	Test Name	Reference Laboratory Test Code	Reference Laboratory Result Code	No Modification	New Test	Inactive	Test Modification	Component Change	Result or Orderable Name Change	Precision	Individually orderable?	Performed Schedule	Specimen Requirements	LOINC Code	CPT Code	Order Site (ABCDEGPS)	Ref Lab Test Code
Mayo	10/01/25	PLACM	PLACM	PrometheusLacto Type	FTFPLAC	FPLAC			x								38938-2	81400-90		PLACM
Mayo	08/18/25	DME1M		Diabetes Mellitus Type 1 Evaluation	DBS1				x					Y						DBS1
			34268	Diabetes Interp, S		34268			x				0	N						
			GAD65	Glut Acid Decarboxylase Ab Assay	GD65S	81596	x						0	Y			30347-9	86341-90		
			INABM	Insulin Abs, S	INAB	8666			x				2	Y			60463-7	86337-90		
			IA2M	IA-2 Ab, S	IA2	89588			x				2	Y			81155-4	86341-90		
			EZNT8	ZnT8 Ab, S	EZNT8	64926	x						0	Y				86341-90		
Mayo	08/18/25	DAIPM		Diabetes Autoimmune Profile	FDAIP			x						Y						FDAIP
			IAAM	Insulin Antibodies	FINAB	Z6377		x						Y			8072-1	86337-90		
			DAIP1	Anti GAD 65 Antibodies		Z6378		x						N			86540-8	86341-90		
			IA2AM	IA-2 Autoantibodies	FIAAB	Z6387		x						Y			31209-0	86341-90		
			DIAP2	ZNT8 Antibodies		Z6388		x						N			76651-9	86341-90		
			DIAP3	Type 1 Diabetes Interpretation		Z6389		x						N			8251-1			